1

```
-- file: ListerDefs.mesa
-- edited by Sweet; April 12, 1978 9:44 PM
DIRECTORY
  AltoDefs: FROM "altodefs",
  BcdDefs: FROM "bcddefs",
  SegmentDefs: FROM "segmentdefs",
  StringDefs: FROM "stringdefs",
  SymbolTableDefs: FROM "symboltabledefs",
  SymDefs: FROM "symdefs", TreeDefs: FROM "treedefs";
ListerDefs: DEFINITIONS =
  BEGIN
  BYTE: TYPE = AltoDefs.BYTE;
  FileSegmentHandle: TYPE = SegmentDefs.FileSegmentHandle;
  IncorrectVersion: SIGNAL;
  Load: PROCEDURE [name: STRING] RETURNS [code, symbols: FileSegmentHandle];
  NoCode, NoSymbols, NoFGT, MultipleModules: SIGNAL;
  WriteFileID: PROCEDURE;
  WriteVersions: PROCEDURE [version, creator: POINTER TO BcdDefs.VersionStamp]; SetRoutineSymbols: PROCEDURE [s: SymbolTableDefs.SymbolTableBase];
  PrintHti: PROCEDURE [hti: SymDefs.HTIndex]; PrintSei: PROCEDURE [sei: SymDefs.ISEIndex];
  Indent: PROCEDURE [n: CARDINAL];
PutSubString: PROCEDURE [ss: StringDefs.SubString];
PrintMachine: PROCEDURE [stamp: BcdDefs.VersionStamp];
  PutNodeName: PROCEDURE[n: TreeDefs.NodeName];
  -- known PROGRAM modules
  ListBcd: PROGRAM;
  ListCode: PROGRAM;
  ListSymbols: PROGRAM;
  ListInterface: PROGRAM;
  ListFrame: PROGRAM;
  ListerRoutines: PROGRAM;
END. of listcode
```